

Zahlungsart bei bestimmten Bedingungen nicht anbieten

Hier einige Beispiele wie ein Zahlungsmodul leicht so modifiziert werden kann, dass es nicht angeboten wird, wenn bestimmte Bedingungen erfüllt sind.

Beispielsweise wenn eine bestimmte Versandart gewählt wurde, ein bestimmter Bestellwert überschritten wird oder wenn Artikel aus einer bestimmten Kategorie im Warenkorb sind.

Das Prinzip ist dasselbe wie beim Deaktivieren eines Versandmoduls bei diversen Bedingungen und hier beschrieben:

<https://www.zen-cart-pro.at/knowledgebase/versandart-bei-bestimmten-bedingungen-nicht-anbieten/>

Beispiele:

Deaktivieren bei Selbstabholung

```
if (substr_count($_SESSION['shipping']['id'], 'storepickup')  
!=0) {  
    $this->enabled = false;  
}
```

zen-cart-pro.at - Zahlungsart bei bestimmten Bedingungen nicht anbieten

Deaktivieren wenn Bestellwert mehr als 1000

```
if (IS_ADMIN_FLAG === false) {  
if ($_SESSION['cart']->show_total() > 1000) $this->enabled =  
false;  
}  
  
Deaktivieren wenn Artikel in Kategorie mit der ID 2
```

```
if ((IS_ADMIN_FLAG == false &&  
$_SESSION['cart']->in_cart_check('master_categories_id','2') >  
0)) {  
$this->enabled = false;  
}
```

Wenn nun z.B. die Zahlungsart Vorkasse durch Banküberweisung (eustandardtransfer) bei Bestellwert von mehr als 1000 Euro nicht angeboten werden soll:

Für die Zahlungsart Banküberweisung die zusätzliche Bedingung einfügen in
includes/modules/payment/eustandardtransfer.php
innerhalb der Funktion

zen-cart-pro.at - Zahlungsart bei bestimmten Bedingungen nicht anbieten

```
function update_status() {
```

Dort ist schon eine, die die hinterlegten Länder abfragt und entsprechend sperrt:

```
// check country
$dest_country = $order->billing['country']['iso_code_2'] ?? 0;
$error = false;
$countries_table = MODULE_PAYMENT_EUTRANSFER_COUNTRIES;
$country_zones = explode(", ", $countries_table);
if (in_array($dest_country, $country_zones)) {
    $this->enabled = true;
} else {
    $this->enabled = false;
}
```

Unterhalb wird die gewünschte weitere Bedingungen eingefügt:

```
// deaktivieren bei bestellwert mehr als 1000
if (IS_ADMIN_FLAG === false) {
    if ($_SESSION['cart']->show_total() > 1000)
$this->enabled = false;
}
```

zen-cart-pro.at - Zahlungsart bei bestimmten Bedingungen nicht anbieten

Das komplette Zahlungsmodul sieht nach dieser Änderung dann so aus:

```
<?php
/**
 * @package paymentMethod
 * @copyright Copyright 2003-2022 Zen Cart Development Team
 * Zen Cart German Version - www.zen-cart-pro.at
 * @copyright Portions Copyright 2003 osCommerce
 * @license https://www.zen-cart-pro.at/license/3_0.txt GNU
General Public License V3.0
 * @version $Id: eustandardtransfer.php deaktiviert bei
Bestellwert über 1000 2022-05-29 07:29:14 webchills $
*/
class eustandardtransfer {
    var $code, $title, $description, $enabled;

// class constructor
    function __construct() {
        global $order;
        $this->code = 'eustandardtransfer';
        $this->title = MODULE_PAYMENT_EUTRANSFER_TEXT_TITLE;
                                $this->description =
MODULE_PAYMENT_EUTRANSFER_TEXT_DESCRIPTION;
                                $this->sort_order =
MODULE_PAYMENT_EUTRANSFER_SORT_ORDER;
                                $this->email_footer =
MODULE_PAYMENT_EUTRANSFER_TEXT_EMAIL_FOOTER;
        $this->enabled = ((MODULE_PAYMENT_EUTRANSFER_STATUS ==
'True') ? true : false);
    }
}
```

```
if ((int)MODULE_PAYMENT_EUTRANSFER_ORDER_STATUS_ID > 0)
{
    $this->order_status      =
MODULE_PAYMENT_EUTRANSFER_ORDER_STATUS_ID;
}
if (is_object($order)) $this->update_status();
}

// class methods
function update_status() {
    global $order, $db;
    // check country
    $dest_country      =
$order->billing['country']['iso_code_2'] ?? 0;
    $error = false;
    $countries_table      =
MODULE_PAYMENT_EUTRANSFER_COUNTRIES;
    $country_zones = explode(",", $countries_table);
    if (in_array($dest_country, $country_zones)) {
        $this->enabled = true;
    } else {
        $this->enabled = false;
    }
    // deaktivieren bei bestellwert mehr als 1000
    if (IS_ADMIN_FLAG === false) {
        if ($_SESSION['cart']->show_total() > 1000)
$this->enabled = false;
    }
    if   ( ($this->enabled == true)  &&
((int)MODULE_PAYMENT_EUTRANSFER_ZONE > 0) ) {
        $check_flag = false;
```

```
$check = $db->Execute("select zone_id from " .  
TABLE_ZONES_TO_GEO_ZONES . " where geo_zone_id = '" .  
MODULE_PAYMENT_EUTRANSFER_ZONE . "' and zone_country_id = '" .  
$order->billing['country']['id'] . "' order by zone_id");  
while (!$check->EOF) {  
    if ($check->fields['zone_id'] < 1) {  
        $check_flag = true;  
        break;  
    } elseif ($check->fields['zone_id'] ==  
$order->billing['zone_id']) {  
        $check_flag = true;  
        break;  
    }  
    $check->MoveNext();  
}  
  
if ($check_flag == false){  
    $this->enabled = false;  
}  
}  
}  
function javascript_validation() {  
    return false;  
}  
  
function selection() {  
    return array('id' => $this->code,  
                'module' => $this->title);  
}  
  
function pre_confirmation_check() {  
    return false;
```

```
}

function confirmation() {
    return array('title' =>
MODULE_PAYMENT_EUTRANSFER_TEXT_DESCRIPTION);
}

function process_button() {
    return false;
}

function before_process() {
    return false;
}

function after_process() {
    return false;
}

function output_error() {
    return false;
}

function check() {
    global $db;
    if (!isset($this->_check)) {
        $check_query = $db->Execute("select
configuration_value from " . TABLE_CONFIGURATION . " where
configuration_key = 'MODULE_PAYMENT_EUTRANSFER_STATUS'");
        $this->_check = $check_query->RecordCount();
    }
    return $this->_check;
}
```

}

```
function install() {
    global $db;
    $db->Execute("insert into " . TABLE_CONFIGURATION . "
(configuration_title, configuration_key, configuration_value,
configuration_description, configuration_group_id, sort_order,
set_function, date_added) values ('Allow Bank Transfer
Payment', 'MODULE_PAYMENT_EUTRANSFER_STATUS', 'True', 'Do you
want to accept bank transfer order payments?', '6', '1',
'zen_cfg_select_option(array(\''True\', \'
False\'), ' , now());");

    $db->Execute("insert into " . TABLE_CONFIGURATION . "
(configuration_title, configuration_key, configuration_value,
configuration_description, configuration_group_id, sort_order,
date_added)      values      ('Bank          Name',
'MODULE_PAYMENT_EUTRANSFER_BANKNAM', '---', 'Your full bank
name', '6', '2', now());");

    $db->Execute("insert into " . TABLE_CONFIGURATION . "
(configuration_title, configuration_key, configuration_value,
configuration_description, configuration_group_id, sort_order,
date_added)      values      ('Bank          Account          Name',
'MODULE_PAYMENT_EUTRANSFER_ACCNAM', '---', 'The name
associated with the account.', '6', '3', now());");

    $db->Execute("insert into " . TABLE_CONFIGURATION . "
(configuration_title, configuration_key, configuration_value,
configuration_description, configuration_group_id, sort_order,
date_added)      values      ('Bank          Account          IBAN',
'MODULE_PAYMENT_EUTRANSFER_ACCIBAN', '---', 'International
account id.<br>(ask your bank if you don\'t know it)', '6',
'6', now());");
```

```
$db->Execute("insert into " . TABLE_CONFIGURATION . "
(configuration_title, configuration_key, configuration_value,
configuration_description, configuration_group_id, sort_order,
date_added) values ('Bank BIC/SWIFT',
'MODULE_PAYMENT_EUTRANSFER_BANKBIC', '----', 'International
bank id.<br>(ask your bank if you don\'t know it)', '6', '7',
now());");

$db->Execute("insert into " . TABLE_CONFIGURATION . "
(configuration_title, configuration_key, configuration_value,
configuration_description, configuration_group_id, sort_order,
date_added) values ('Module Sort order of display.',
'MODULE_PAYMENT_EUTRANSFER_SORT_ORDER', '0', 'Sort order of
display. Lowest is displayed first.', '6', '8', now()));

$db->Execute("insert into " . TABLE_CONFIGURATION . "
(configuration_title, configuration_key, configuration_value,
configuration_description, configuration_group_id, sort_order,
use_function, set_function, date_added) values ('Payment
Zone', 'MODULE_PAYMENT_EUTRANSFER_ZONE', '0', 'If a zone is
selected, only enable this payment method for that zone.',
'6', '9', 'zen_get_zone_class_title',
'zen_cfg_pull_down_zone_classes()', now()));

$db->Execute("insert into " . TABLE_CONFIGURATION . "
(configuration_title, configuration_key, configuration_value,
configuration_description, configuration_group_id, sort_order,
set_function, use_function, date_added) values ('Set Order
Status', 'MODULE_PAYMENT_EUTRANSFER_ORDER_STATUS_ID', '0',
'Set the status of orders made with this payment module to
this value', '6', '10', 'zen_cfg_pull_down_order_statuses(',
'zen_get_order_status_name', now()));

// EURO-Länder Stand Juni 2010: Belgien, Deutschland,
Estland, Finnland, Frankreich, Griechenland, Irland, Italien,
Luxemburg, Malta, Niederlande, Österreich, Portugal, Slowakei,
```

Slowenien, Spanien, Zypern

```
$db->Execute("insert into " . TABLE_CONFIGURATION . "
(configuration_title, configuration_key, configuration_value,
configuration_description, configuration_group_id, sort_order,
date_added) values ('Countries',
'MODULE_PAYMENT_EUTRANSFER_COUNTRIES',
'BE,DE,EE,FI,FR,GR,IE,IT,LU,NL,AT,PT,SK,SI,ES', 'Enter the
countries for which you want to offer moneyorder. Two digit
ISO codes, comma separated.', '6', '11', now());");
// www.zen-cart-pro.at german admin
languages_id==43 START
$db->Execute("insert into " .
TABLE_CONFIGURATION_LANGUAGE . " (configuration_title,
configuration_key, configuration_language_id,
configuration_description, date_added) values ('Vorauskasse
per Banküberweisung anbieten?',
'MODULE_PAYMENT_EUTRANSFER_STATUS', '43', 'Wollen Sie
Vorauskasse per Banküberweisung aktivieren?', now());");
$db->Execute("insert into " .
TABLE_CONFIGURATION_LANGUAGE . " (configuration_title,
configuration_key, configuration_language_id,
configuration_description, date_added) values ('Bank Name',
'MODULE_PAYMENT_EUTRANSFER_BANKNAM', '43', 'Tragen Sie hier
den Namen Ihrer Bank ein', now());");
$db->Execute("insert into " .
TABLE_CONFIGURATION_LANGUAGE . " (configuration_title,
configuration_key, configuration_language_id,
configuration_description, date_added) values ('Kontoinhaber',
'MODULE_PAYMENT_EUTRANSFER_ACCNAM', '43', 'Tragen Sie hier den
Namen des Kontoinhabers ein.', now());");
$db->Execute("insert into " .
TABLE_CONFIGURATION_LANGUAGE . " (configuration_title,
```

```
configuration_key, configuration_language_id,
configuration_description, date_added) values ('IBAN',
'MODULE_PAYMENT_EUTRANSFER_ACCIBAN', '43', 'Tragen Sie hier
Ihre IBAN ein.', now()));

$db->Execute("insert into ".TABLE_CONFIGURATION_LANGUAGE . " (configuration_title,
configuration_key, configuration_language_id,
configuration_description, date_added) values ('BIC/SWIFT',
'MODULE_PAYMENT_EUTRANSFER_BANKBIC', '43', 'Tragen Sie hier
Ihren BIC/SWIFT Code ein.', now())");

$db->Execute("insert into ".TABLE_CONFIGURATION_LANGUAGE . " (configuration_title,
configuration_key, configuration_language_id,
configuration_description, date_added) values
('Sortierreihenfolge', 'MODULE_PAYMENT_EUTRANSFER_SORT_ORDER',
'43', 'Anzeigereigenfolge für dieses Modul. Der niedrigste
Wert wird zuerst angezeigt.', now())");

$db->Execute("insert into ".TABLE_CONFIGURATION_LANGUAGE . " (configuration_title,
configuration_key, configuration_language_id,
configuration_description, date_added) values
('Bestellstatus', 'MODULE_PAYMENT_EUTRANSFER_ORDER_STATUS_ID',
'43', 'Welchen Bestellstatus sollen Bestellungen bekommen, die
mit Banküberweisung bezahlt werden?', now())");

$db->Execute("insert into ".TABLE_CONFIGURATION_LANGUAGE . " (configuration_title,
configuration_key, configuration_language_id,
configuration_description, date_added) values ('Zone',
'MODULE_PAYMENT_EUTRANSFER_ZONE', '43', 'Wenn Sie hier eine
Zone angeben, ist Banküberweisung nur für Kunden mit
Rechnungsadresse in dieser Zone möglich.', now())");

$db->Execute("insert into ".TABLE_CONFIGURATION_LANGUAGE . " (configuration_title,
configuration_key, configuration_language_id,
configuration_description, date_added) values ('Zone',
'MODULE_PAYMENT_EUTRANSFER_ZONE', '43', 'Wenn Sie hier eine
Zone angeben, ist Banküberweisung nur für Kunden mit
Rechnungsadresse in dieser Zone möglich.', now())");
```

```
TABLE_CONFIGURATION_LANGUAGE . " (configuration_title,
configuration_key, configuration_language_id,
configuration_description, date_added) values ('Länder',
'MODULE_PAYMENT_EUTRANSFER_COUNTRIES', '43', 'Geben Sie hier
die Länder an, für die Banküberweisung möglich sein soll. Es
empfiehlt sich hier nur Länder einzutragen, die den EURO
haben, so dass eine EU-Standardüberweisung möglich
ist.<br>Zweistellige ISO-Codes durch Komma getrennt!','
now())";
                                // www.zen-cart-pro.at german admin
languages_id==43 END
}
function remove() {
    global $db;
    $db->Execute("delete from " . TABLE_CONFIGURATION . "
where configuration_key in ('" . implode("", "'",
$this->keys()) . "')");
    // www.zen-cart-pro.at german admin languages_id ==
delete all
                                $db->Execute("delete from " .
TABLE_CONFIGURATION_LANGUAGE . " where configuration_key in
('" . implode("", "'", $this->keys()) . "')");
}
function keys() {
    $keys = array('MODULE_PAYMENT_EUTRANSFER_STATUS',
'MODULE_PAYMENT_EUTRANSFER_BANKNAM',
'MODULE_PAYMENT_EUTRANSFER_ACCNAM',
'MODULE_PAYMENT_EUTRANSFER_ACCIBAN',
'MODULE_PAYMENT_EUTRANSFER_BANKBIC',
'MODULE_PAYMENT_EUTRANSFER_SORT_ORDER',
'MODULE_PAYMENT_EUTRANSFER_ORDER_STATUS_ID',
'MODULE_PAYMENT_EUTRANSFER_ZONE',
```

zen-cart-pro.at - Zahlungsart bei bestimmten Bedingungen nicht anbieten

```
'MODULE_PAYMENT_EUTRANSFER_COUNTRIES');

return $keys;
}
}
```

© 2004-2024 www.zen-cart-pro.at - Die deutsche Zen Cart Version

Seite 13 von 13

generiert

von

<https://www.zen-cart-pro.at/knowledgebase/zahlungsart-bei-bestimmten-bedingungen-nicht-anbieten/> am 19. August 2025